### **PCT**

# WORLD INTELLECTUAL PROPERTY ORGANIZATION International Bureau



# INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification 5:		(11) International Publication Number:	WO 94/11330
C07C 43/11, C11D 1/72	A1	(43) International Publication Date:	26 May 1994 (26.05.94)
(21) International Application Number: PCT/SI (22) International Filing Date: 12 November 1993		Stenungsund (SE).	Berol Nobel AB, S-444 85
(30) Priority data: 9203478-4 19 November 1992 (19.1	1.92)	(81) Designated States: CA, Fl, JP, (AT, BE, CH, DE, DK, ES, MC, NL, PT, SE).	NO, US, European patent FR, GB, GR, IE, IT, LU,
(71) Applicant (for all designated States except US) NOBEL AB [SE/SE]; S-444 85 Stenungsund	: BER (SE).	OL Published With international search rep	ort.
(72) Inventors; and (75) Inventors/Applicants (for US only): DAHLGREN [SE/SE]; Mjölnarvägen 4, S-444 95 Ödsi BERGSTRÖM, Karin [SE/SE]; PL 3842, S-44 gälv (SE).	mål (S	6E).	
			•

## (54) Title: ALKOXYLATE OF 2-PROPYL HEPTANOL AND USE THEREOF

#### (57) Abstract

The invention relates to an alkoxylate of the general formula (I):  $C_5H_{11}CH(C_3H_7)CH_2O(B)_r(C_2H_4O)_pH$ , wherein B is an alkyleneoxy group having 3-4 carbon atoms, p is 1-10 and r is 1-6. The alkoxylate may be included as a surface-active component in compositions for cleaning textile materials.

SDOCID: <WO 9411330A1 1 >

### FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AT	Austria	GB	United Kingdom	MR	Mauritania
ÂÙ	Australia	GE	Georgia	MW	Matawi
BB	Barbados	GN	Guinca	NE	Niger
BE	Belgium	GR	Greece	NL	Netherlands
BF	Burkina Faso	HU	Hungary	NO	Norway
BG		IE	Ircland	NZ	New Zealand
BJ BC	Bulgaria Benin	iŤ	Italy	PL	Poland
	=	JР	Japan	PT	Portugal
BR ·	Brazil	KE	Kenya	RO	Romania
BY	Belarus	KG	Kyrgystan	RU	Russian Federation
CA	Canada	KP	Democratic People's Republic	SD	Sudan
CF	Central African Republic	N.	of Korca	SE	Sweden
CG	Congo	KR		SI	Slovenia
CH	Switzerland		Republic of Korea	SK	Slovakia
CI	Côte d'Ivoire	KZ	Kazakhstan	SN	Senegal
CM	Cameroon	ഥ	Licchtenstein	TD	Chad
CN	China ·	LK	Sri Lanka		
CS	Czechoslovakia	LU	Luxembourg	TG	Togo
CZ	Czech Republic	LV	Latvia	<u>TJ</u>	Tajikistan
DE	Germany	MC	Monaco	TT	Trinidad and Tobago
DK	Denmark	MD	Republic of Moldova	UA	Ukraine
ES	Spain	MG	- Madagascar	US	United States of America
FI	Finland	ML	Mali	UZ	Uzbekistan
FR	France	MN	Mongolia	VN	Vict Nam
GA	Gabon				

25

#### ALKOXYLATE OF 2-PROPYL HEPTANOL AND USE THEREOF

The present invention relates to an alkoxylate of 2-propyl heptanol. The alkoxylate exhibits high detergent power on textile materials and low foaming compared with similar compounds having a hydrophobic group of approximately the same size and approximately the same HLB-value. The alkoxylate may advantageously be used as a surfaceactive component in detergent compositions for textile materials.

It has long been known to alkoxylate alcohols for obtaining non-ionic surface-active compounds. These compounds have been used in detergent compositions because of their wetting and dispersing properties. In a number of applications, alkoxylates of C<sub>8-11</sub> alcohols have however been found to be too high-foaming and/or not to have the desired detergent power. For example, ethoxylates based on branched C<sub>8</sub> alcohols often exhibit acceptable foaming but too low a detergent power, whereas ethoxylates based on straight or branched alcohols having a larger hydrocarbon chain often show an acceptable surface activity but too high foaming. Thus, there is a need for new alkylene oxide adducts with an improved ratio of foaming to detergent power.

It has now been found that an alkoxylate based on 2-propyl heptanol has good detergent and wetting properties as well as low foaming as compared with other alcohols having substantially the same chain length. In addition, it has been found that the alkoxylate is easily degradable and has a surprisingly low biotoxicity. In tests, no skin-irritant effect has been noted.

The alkoxylate according to the invention can be illustrated by the formula

$$C_5^{H_{11}CH(C_3^{H_7})CH_2^{O(B)}_r(C_2^{H_4^{O)}_pH}}$$
 (I)

15

35

wherein B is an alkyleneoxy group having 3-4 carbon atoms, p is 1-10 and r is 1-6. Preferably, p is 2-8 and r is 1-4. In these compounds, the hydrophobic properties of the hydrocarbon chain have been enhanced by adding hydrophobic 5 alkyleneoxy groups closest to the alcohol. The compounds have a good detergent power on textile materials while at the same time showing slightly lower foaming in relation to compounds having a hydrophobic group of approximately the same hydrophobicity and approximately the same HLB-value.

The alkoxylates according to the invention described above can be prepared by adding in a conventional manner in the presence of a conventional alkali catalyst, such as potassium hydroxide or sodium hydroxide, the above-mentioned amounts of alkylene oxide to 2-propyl heptanol, which is a so-called Guebert alcohol. According to a preferred mode of execution, the addition of ethylene oxide is performed using a conventional catalyst which gives a narrower distribution of added ethylene oxide than any alkali catalyst, such as NaOH or KOH. Thus prepared 20 alkoxylates according to the invention have very low foaming. Examples of conventional catalysts giving a narrow distribution of added alkylene oxide are Ca(OH)2, Ba(OH)2, Sr(OH), and hydrotalcite. The reaction is preferably con-25 ducted in the absence of free water to reduce the amount of by-products and usually at a temperature of 70-180°C.

Textile-cleaning compositions including the alkoxylate according to the invention may also contain other surface-active compounds, such as anionic ones. Examples hereof are alkyl sulphate, alkyl ether sulphate, alkyl 30 benzene sulphonate,  $\alpha$ -olefin sulphonate and alkyl glyceryl sulphonate. Other commonly occurring components are solutising additives, complexing agents and/or pH-adjusting agents, enzymes, bactericides and perfumes. The compositions are usually aqueous and in the form of emulsions, microemulsions or solutions.

The invention will be further illustrated by the following Examples.

#### Example 1

An alkoxylate according to the invention are prepared by alkoxylating 2-propyl ethanol with the amounts of alkylene oxide appearing from the Table below in the presence of potassium hydroxide as catalyst. For reference purposes, two alkoxylates were prepared using a  $C_{9-11}$  alcohol (Dobanol 91 Shell) as hydrophobic ingredient. The resulting products were analysed and structurally determined by gas chromatography and mass spectrometry. The turbidity points were measured in water or monobutylether diethylene glycol. The following results were obtained.

Table 1

Com- pound	Alcohol	Mole of alkylene oxide/mole of alcohol	Cata- lyst	Turbidi point	ty ,
		or arconor		Water	BDG
1	2-propyl heptanol	4 PO+6 EO <sup>1)</sup>	кон	25	-
A	C <sub>9-11</sub> alcohol	4 EO	кон	7.	62
В	C <sub>9-11</sub> alcohol	6 EO	кон	56	

EO = ethylene oxide; PO = propylene oxide, BDG = monobutylether diethylene glycol

#### Example 2

The foaming properties of the alkoxylates reported in the following Table were measured according to Ross-Miles ASTM D 1173-53. The following results were obtained.

<sup>1)</sup> PO added first

WO 94/11330 PCT/SE93/00966

4

Table 2

Compound	Foam height, cm			
	0 min	5 min		
1	83	12		
A	80	20		
В	95	30		

The compound according to the invention has equivalent or slightly lower foaming as compared with compounds A and B.

#### Example 3

Washing tests were carried out in a Terg-O-Tometer on pigment-soiled cotton and cotton/polyester. Washed-away soil was thereafter determined by conventional reflectance measurement. The following results were obtained.

Table 3

	Washed-	away pigment s	soil, &
Compound	Cotton	Cotton/po	olyester
	40°C	40°C	60°C
1	78	73	66
A	78	65	52

From these results it appears that the compound according to the invention all in all has higher detergent power than the reference compound. From Example 2 also appears that the compound according to the invention has slightly lower foaming than the reference compound.

30

5

10

15

20

25

35

#### CLAIMS

An alkoxylate as claimed in claim 1 or 2, char acterised by having the general formula

$$C_{5}^{H_{11}CH(C_{3}^{H_{7}})CH_{2}O(B)_{r}(C_{2}^{H_{4}^{O}})_{p}^{H}}$$
 (1)

wherein B is an alkyleneoxy group having 3-4 carbon atoms, 10 p is 1-10 and r is 1-6.

- 2. An alkoxylate as claimed in claim 1, characterised in that p is 2-8 and r is 1-4.
- 15 3. The use of a compound as claimed in claim 1 or 2 in a detergent composition for textile materials.

20

25

30

35

	· · · · · · · · · · · · · · · · · · ·		
A. CLAS	SIFICATION OF SUBJECT MATTER		
IPC5: C	07C 43/11, C11D 1/72		
According t	o International Patent Classification (IPC) or to both n	ational classification and IPC	
	OS SEARCHED Ocumentation searched (classification system followed b	y classification symbols)	
			•
	07C, C11D		she Golde seembod
	tion searched other than minimum documentation to th	e extent that such documents are included in	n the fields searched
	I,NO classes as above		
Electronic d	ata base consulted during the international search (name	e of data base and, where practicable, search	n terms used)
•	·		
CA			
C. DOCU	MENTS CONSIDERED TO BE RELEVANT		
Category*	Citation of document, with indication, where ap	propriate, of the relevant passages	Relevant to claim No.
A	GB, A, 2145726 (DIVERSEY CORPORA 3 April 1985 (03.04.85)	TION),	1-3
A	CH, A5, 674358 (OUHADI TRAZOLLAH 1990 (31.05.90)	ET AL.), 31 May	1-3
A	EP, A1, 0046582 (CONOCO INC.), 3 (03.03.82)	8 March 1982	1-3
A	US, A, 3567784 (WILLIAM T. TSATS 2 March 1971 (02.03.71)	SOS ET AL.),	1-3
Furthe	er documents are listed in the continuation of Bo	x C. X See patent family annex	<b>S.</b>
"A" docume	categories of cited documents:  It defining the general state of the art which is not considered	"I" later document published after the inte date and not in conflict with the appli- the principle or theory underlying the	cation but cited to understand
"E" erlier do	particular relevance ocument but published on or after the international filing date at which may throw doubts on priority claim(s) or which is	"X" document of particular relevance: the considered novel or cannot be conside step when the document is taken alone	red to involve an inventive
special i	establish the publication date of another citation or other reason (as specified) nt referring to an oral disclosure, use, exhibition or other	"Y" document of particular relevance: the considered to involve an inventive ster combined with one or more other such	claimed invention cannot be when the document is
	nt published prior to the international filing date but later than rity date claimed	being obvious to a person skilled in th	e art
Date of the	actual completion of the international search	Date of mailing of the international s	earch report
22 Febru	uary 1994	2 5 -02- 1994	
	mailing address of the ISA/	Authorized officer	
Box 5055,	Patent Office S-102 42 STOCKHOLM	Eva Johansson Telephone No. +46 8 782 25 00	
racsimile N	No. +46 8 666 02 86	Telephone No. +46 8 782 25 00	

Form PCT/ISA/210 (second sheet) (July 1992)

# INTERNAT AL SEARCH REPORT Information patent family members

ational application No.
PSF 93/00966

	document arch report	Publication date		Patent family member(s)	
GB-A-	2145726	03/04/85	DE-A- FR-A-	3431156 2550959	02/05/85 01/03/85
CH-A5-	674358	31/05/90	AU-B- AU-A- DE-A- FR-A- GB-A,B- JP-A- LU-A- NL-A- SE-A-	595060 7735987 3727793 2603277 2194536 63063630 86979 8702024 8703301	22/03/90 03/03/88 10/03/88 04/03/88 09/03/88 22/03/88 02/03/88 16/03/88 01/03/88
 EP-A1-	0046582	03/03/82	SE-T3- CA-A- JP-C- JP-A- US-A-	0046582 1157052 1555089 57042646 4302613	15/11/83 23/04/90 10/03/82 24/11/81
 US-A-	3567784	02/03/71	NONE		

28/01/94

THIS PAGE BLANK (USPTO)